

30W I-CLOUD All In One Solar Light



30W I-CLOUD ALL IN ONE SOLAR LIGHT(SNW-230)

Application: For Carport, Stadium, Square and Street Lighting.

Model No.: SN-W230

30W LED Integrated with 70W PV and 44AH Battery

APP REMOTE CONTROL

- Modify specification remotely
- Sub-street light networking
- Available to send voice notification remotely
- Music play remotely
- Video real-time monitoring
- Remote alarm function
- Key alarm on the pole
- Available to check video history record remotely
- Automatically error warning remotely
- GPRS positioning

General Specification

LED power	30W
Solar panel	70W, Cell brand: Solarworld
Lithium Battery	44AH Lithium
Lumen	3000~3300lm
Mounting height	6m
Mounting distance	30~35m for one-way road,60-70m for two-way road, intercross distance.

Working Method	Timer control, APP, Motion sensor
Waterproof degree	IP65
LED Beads Qty	30; LED Brand: Bridgelux 45
CCT	3000~6000K
Working Temp.	-30~+60C
Working Humidity	15~90%RH


Installation




The main light



Sleeve



lamppost (6M)



Inside 6 corners screw-M8*30 x 8



Inside 6 corners screw-M8*15 x 6



Inner 6 angle tool




1

Sleeve



Inside 6 corners screw-M8*30

The main light





Inner 6 angle tool

2





Packing Detail

Product size/Weight	1210*340*45mm/17KG
Pack size/Volume	1320*400*200mm /18KG



30W Model diagram



[Download DATA SHEET](#)

Product link : <https://www.sinolsolar.com/30w-i-cloud-all-in-one-solar-light.html>