

Main Features

Integrated solar street light which integrates the green-energy parts solar panel, LED lamp and the lithium battery into a single product, is with human intelligence induction system to gain the solution of low-energy, long-time, highluminance and free maintenance. And the same time, it's convenient in the shipment and installation.

Purpose:

To be installed in the garden, residential area, courtyard, road, main area, parking area or provide the light in roads where it's necessary, the battery provide the energy for lighting, and the solar panel charge for the battery.

Product parts:


The product is made up with the integrated parts (solar panel, lithium battery, LED, MPPT controller and human intelligence induction system) and the light pole. Working characters,The solar panel converts sunlight into electricity and stored in lithium battery via controller, the LED light will work in night automatically by light sensor control, and provide light for the darkness area, the human intelligence induction system can save the energy when the lighting is not necessary.

Installation and Use

1、Installation:

Make the solar panel face south while installing. Meanwhile, you can adjust the angel between the lamp head and level (as follows), you'd better reconcile the lamp head with local latitude.

There are two installation methods as below:



2、Using method

It could work when you open the switch without any adjustment. Very easy to operate.


Precautions

Installation Instructions

1. To place the light pole into the best spot with good day lighting . The light pole should be the length 4-6m, the thickness 2.0mm with material iron or steel, the diameter 50-90mm.
2. The parts should be showed cleared when open the packing.
3. Place the lamp on the pole by its sleeve, special screw should be used and steady installation should be ensured.

- .“All in One solar street light”can not work without sunshine charging, please select the suitable product model according to the local sunshine radiation and the annual total radiation.
- .“All in One solar street light” adopts the long life Lithium battery for storing energy, charging temperature at day time is between:-30°C~+60°C, when the temperature goes lower than -35°C , the control system will stop automatically to protect the battery, and it will revive to charge the battery while temperature goes higher than -35°C. Discharging temperature at night is between: -30°C~+60°C, any ambient beyond will bring damage to the battery. Please confirm your local extreme temperature is suitable for above while selecting the street light.
- .Battery of the “All in One solar street light” can be stored for 1 year long after full charged, and please examine, charge it periodically after long time transportation to prevent damage.
- .While installed in Northern Hemisphere, please make sure the surface of the solar panel to be facing the South to collect maximum sunshine radiation, While installed in Southern Hemisphere, please make sure the surface of the solar panel to be facing the North to collect maximum sunshine radiation. At the same tie please keep it away from any shadow of house, trees etc.
- .Keep clearing the surface of the All in One solar street light with normal detergent to get maximum power generation, clear the dust or tree leaves or any grease.

Installation Details



⚠ Cautions

- 1、 Without the guidance of our technical staff, do not open the product itself;
- 2、 Install the product to avoid trees, building and other block;
- 3、 When install or use it, try to avoid collision products, handle with care.